

Collaborative Virtual Prototyping (CVP) and Cost-As-An-Independent-Variable (CAIV)

MATERIEL DEVELOPMENT AND ACQUISITION PROCESS





COST-AS-AN-INDEPENDENT-VARIABLE (CAIV) MANDATE

"Cost as an independent Variable (CAIV). The acquisition process described in DoDD 5000.1 and DoD 5000.2-R must consider both performance requirements and fiscal constraints. Accordingly, cost must also be an independent variable in programmatic decisions, with responsible cost objectives set for each program phase."

PAUL KAMINSKI UNDER SECRETARY OF DEFENSE (ACQUISITION AND TECHNOLOGY)

COST-AS-AN-INDEPENDENT-VARIABLE (CAIV)

- COST-AS-AN-INDEPENDENT-VARIABLE (CAIV)
 - PROGRAM PARAMETERS
 - REQUIREMENTS
 - PERFORMANCE
 - SCHEDULE
 - COST
- CAIV MEANS MAKING **PERFORMANCE** AND **SCHEDULE** A FUNCTION OF AVAILABLE (BUDGETED) RESOURCES
- COST-AS-AN-INDEPENDENT-VARIABLE IS AN ACQUISITION STRATEGY FOCUSING ON COST-PERFORMANCE TRADE-OFFS IN SETTING PROGRAM GOALS
- CAIV MEANS PICKING THE RIGHT AFFORDABLE COST OBJECTIVE, AND STICKING TO IT. PREFERABLY **PRIOR TO MILESTONE I**

AFFORDABLE MULTI-MISSILE MANUFACTURING (AM3) PROGRAM

MISSION:

• TO DEVELOP, VALIDATE, AND IMPLEMENT INNOVATIVE DESIGN, MANUFACTURING, BUSINESS PRACTICE, AND SYSTEM CONCEPTS THAT WILL SUBSTANTIALLY REDUCE THE COST OF D₀D'S PORTFOLIO OF TACTICAL MISSILE AND SMART MUNITIONS ACQUISITION PROGRAMS

PHASED PROGRAM:


- PHASE I: 9 MONTH CONCEPT DEFINITION (7/95 3/96)
- PHASE II: 15 MONTH CONCEPET VALIDATION (4/96 6/97)
- PHASE III: 36 MONTH IMPLEMENTATION (7/97 6/00)

EXECUTIVE SUMMARY


Affordable Multi-Missile Manufacturing



Design Focus on Cost



Commercial Parts



Objective

- Prototype New Combinations of Multi-Use Designs, Flexible Manufacturing Technology and World Class Business Practices
- Demonstrate Feasibility of Saving 25-50% Across Missile Portfolio
- Leave in Place a Competitive Base of Capabilities for DoD

EVOLUTION

• FOREIGN GOVERNMENT

- MISSILE NOT MEETING EXPECTATIONS
- LACK OF DESIGN INFORMATION
- FUNDED EXPERT ANALYSIS SYSTEM (7M\$; INITIATED 1993)
- VALIDATED WITH FLIGHT TEST DATA
- EXAMINING TECHNOLOGY INSERTION ALTERNATIVES

• DoD ACQUISITION REFORM

- DECLINING BUDGETS
- INTEGRATED CONCEPT/PRODUCT TEAMS (ICTs/IPTs)
- INTEGRATED PRODUCT AND PRODUCT DEVELOPMENT (IPPD)
- COST-AS-AN-INDEPENDENT-VARIABLE (CAIV)

• DARPA PROGRAMS


- RAPID DESIGN EXPLORATION AND OPTIMIZATION (RaDEO)
- AFFORDABLE MULTI-MISSILE MANUFACTURING (AM3)

PROJECT OFFICE SUPPORT


CAPABILITY READY FOR APPLICATION

EXECUTIVE SUMMARY


Process Flow



COLLABORATIVE ENGINEERING



AM3 VALIDATION NETWORK



AM3 VALIDATION SCENARIO

• MISSILE SYSTEM: HYPOTHETICAL PRECISION GUIDED MUNITION (PGM)

• TRADE STUDY VARIABLES:


- WARHEAD MASS
- TOTAL IMPULSE
- OPTICAL DIAMETER
- DETECTOR MATERIAL

• PERFORMANCE VARIABLES:

- WEIGHT
- CONTROLLABILITY
- MAXIMUM RANGE
- RECOGNITION RANGE
- STABILITY MARGINS
- MISS DISTANCE
- PROBABILITY OF KILL

• COST VARIABLES:

- FIRST UNIT COST
- LIFE CYCLE COST



SCENARIO DEMONSTRATES MISSILE CONCEPT OPTIMIZATION BY EMPLOYING COST-AS-AN-INDEPENDENT-VARIABLE TECHNIQUES

GEOGRAPHICALLY DISPERSED ENGINEERING TEAM

CONFIGURATION DESIGN AND ANALYSIS



LAN, WAN, INTERNET

SIMULATION AND PERFORMANCE ANALYSIS



FEATURES

- COST-AS-AN-INDEPENDENT VARIABLE (CAIV)
- COLLABORATIVE AND DISTRIBUTIVE ENGINEERING
- VIRTUAL PROTOTYPING
- SEAMLESS MULTI-DISCIPLINE SOFTWARE INTEGRATION
- KNOWLEDGE-BASED DESIGN AND ANALYSIS
- COMMON MAN-MACHINE INTERFACE
- ELECTRONIC DATA EXCHANGE

COST MODELING AND ANALYSIS




BENEFITS

- INCREASES SOLUTION SPACE
- PROMOTES KNOWLEDGE SHARING
- REDUCES DESIGN CYCLE TIME
- ELIMINATES RE-ENGINEERING OF NOMENCLATURE, SIGN CONVENTIONS, COORDINATE FRAMES, AND UNITS
- AVOIDS DUPLICATION OF EFFORT
- PRESERVES LEGACY CODE INVESTMENT
- IMPROVES STANDARDS OF QUALITY


OFFERS A SIGNIFICANT REDUCTION IN TIME REQUIRED FOR CONCEPT DEFINITION, TECHNOLOGY INSERTION, OR REVERSE ENGINEERING STUDIES

COLLABORATIVE VIRTUAL PROTOTYPING SYSTEM (CVPS)




REDUCES THE COST AND SCHEDULE ASSOCIATED WITH RESEARCH, DEVELOPMENT, AND ACQUISITION OF FUTURE WEAPON PROGRAMS

FACILITATES COST-AS-AN-INDEPENDENT VARIABLE (CAIV)




COST AND PERFORMANCE LINKED THROUGH OPEN AND SCALABLE ARCHITECTURE

ARCHITECTURE LEVERAGES COTS/GOTS SOFTWARE




SEAMLESSLY INTEGRATED SOFTWARE ARCHITECTURE



AM3 MISSILE CONCEPT OPTIMIZATION SCOREBOARD

Configuratio	n Configuration	Seeker Type	Optical Diameter (cm)	Motor Impulse (Nt-sec)	Explosive Mass (kg)	Total Mass (kg)	Maximum Range (km)	Recognition Range (km)	Miss Distance (m)	First Unit Cost (K\$)	Life Cycle Cost (M\$)	Performance Index	;
ORD Goal						400.0	52.5	8.00	3.00	950	2,050.00	o	
													Baselin
AGM-XA	Baseline	IIR	7.5	45300	100	331.5	52.0	8.15	1.58	931	1,959.82	8 0.877	е
AGM-XB-1	R/M 1 W/H 1	IIR	7.5	45300		331.5	52.0	8.15	1.58	931	1,959.82		
AGM-XB-2	R/M 1 W/H 2	IIR	7.5	45300		356.5	51.5	8.12	2.13	936	1,969.14		
AGM-XB-3	R/M 1 W/H 3	IIR	7.5	45300	150	381.5	51.0	8.11	2.82	941	1,977.61	4 0.714	Optimum Warhead/ Rocket Motor
AGM-XB-4	R/M 2 W/H 1	IIR	7.5	6142	100	342.8	53.0	8.16	1.46	936	1,969.60	0 0.904	
AGM-XB-5	R/M 2 W/H 2	IIR	7.5	6142	125	367.8	52.5	8 13	1.94	942	1,978.88	9 0.806	
AGM-XB-6	R/M 2 W/H 3	IIR	7.5	6142	150	392.8	52.0	8.12	2 43	946	1,987.33	7 0 744	
AGM-XB-7	R/M 3 W/H 1	IIR	7.5	78000	100	354 4	55.0	8 16	1 40	942	1,979 61	7 0 920	
AGM-XB-8	R/M 3 W/H 2	IIR	7.5	78000	125	379 4	54.5	8 14	1.85	947	1,988.87	8 0.820	
AGM-XB-9	R/M 3 W/H 3	IIR	7.5	7800C	₁₅₀ l	404.4	54.0	8.11	2.22	952	1.997.31	6 0.766	•
AGM-XB	R/M? W/H?	IIR	7.5	78000	100	354.4	55.0	8.16	1.40	942	1.979.61	7 0.920	
AGM-XC	OTS Rocket Moto	r IIR	7.5	53625	100	339.3	52.5	8.10	1.34	903	1.955.47	2 0.938	
AGM-XD-1	D/M 1 O/D 1	IIR	5	53625	100	337.8	52.5	4.59	1.58	836	1.835.76	2 0.849	
AGM-XD-2	D/M 1 O/D 2	IIR	7.5	53625	100	338.8	52.5	6.51	1.38	868	1.892.55	8 0.915	
AGM-XD-3	D/M 1 O/D 3	IIR	10	53625	100	339.8	52.5	9.40	1.31	896	1.942.33	7 0.965	
AGM-XD-4	D/M 2 O/D 1	IIR	5	53625	100	338.3	52.5	5.50	1.45	872	1.898.70	8 0.882	
AGM-XD-5	D/M 2 O/D 2	IIR	7.5	53625	100	339.3	52.5	8.15	1.34	903	1.955.47	2 0.938	Optimum Seeker
AGM-XD-6	D/M 2 O/D 3	IIR	10	53625	100	340.3	52.5	10.20	1.26	931	2.005.06	0 0.983	
AGM-XD-7	D/M 3 O/D 1	IIR	5	53625	100	338.5	52.5	7.20	1.40	898	1,945.31		
AGM-XD-8	D/M 3 O/D 2	IIR	7.5	53625	100	339.5	52.5	9.89	1.30	929	2,002.06	0 0.967	Evenode
AGM-XD-9	D/M 3 O/D 3	IIR	10	53625	100	340.5	52.5	11.73	1.19	957		60ver Budge	Exceeds
AGM-XD	D/M ? O/D ?	IIR	10	53625	100	340.3	52.5	10.20	1.26	931	2,005.06		Budget
AGM-XE	OTS Seeker	TV	7.5	53625	100	334.0	52.5	13.05	1.56	931	1,893.13	1 0.954) P3I
AGM-XF	OTS Seeker	LASER	7.5	53625	100	335.6	52.5	9.07	1.26	931	1,946.85		Alternatives
AGM-XG	OTS Seeker	RF	N/A	53625	100	341.6	52.5	17.78	2.32	931	2.267.04	20ver Budaet	J

CYCLE TIME SAVINGS



CVPS WILL RESULT IN A 15-25% DEVELOPMENT CYCLE TIME SAVINGS

CURRENT APPLICATIONS

• CONCEPT DEFINITION STUDIES

- QUICK TURNAROUND
- MULTIPLE CONFIGURATIONS

TECHNOLOGY INTEGRATION

- SEEKER SUBSYSTEMS
- ADVANCED GUIDANCE AND CONTROL

PACKAGING STUDIES

- WEAPON DERIVATIVES
- PAYLOAD STUDIES
- EXISTING BOOSTERS

• REVERSE ENGINEERING

- FOREIGN WEAPONS
- INCOMPLETE DESIGN INFORMATION

• COST-AS-AN-INDEPENDENT-VARIABLE (CAIV)

- DoD MANDATE
- COST-PERFORMANCE TRADE OFFS

SUMMARY

- COST-AS-AN-INDEPENDENT-VARIABLE (CAIV) MAJOR ELEMENT OF ACQUISITION REFORM
- PRODUCT IMPROVEMENT AND TECHNOLOGY INSERTION CAN BE FULLY INVESTIGATED ACROSS ALL ENGINEERING DISCIPLINES
- OPEN AND SCALEABLE ARCHITECTURE ALLOWS INTEGRATION OF EXISTING SIMULATIONS
- SEAMLESS MULTI-DISCIPLINED ARCHITECTURE ALLOWS WEAPON DEVELOPMENT WITH SMALLER DESIGN TEAM
- KNOWLEDGE-BASED DESIGN AND ANALYSIS APPROACH CAPTURES EXPERIENCE OF SENIOR PERSONNEL
- COLLABORATIVE AND DISTRIBUTIVE WORK ENVIRONMENT REDUCES DESIGN CYCLE TIME AND COST WITH IMPROVED QUALITY

COLLABORATIVE MODELING AND SIMULATION ENVIRONMENTS ESSENTIAL FOR WAR-FIGHTING IN THE INFORMATION AGE